



AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-3. (canceled)

4. (currently amended) In a body fluid absorbent article comprising:

a liquid-pervious sheet;

a liquid-impervious sheet;

a body fluid absorbent core interposed therebetween;

an indicator interposed between said liquid-impervious sheet and said core and

comprising a water-absorbent sheet which allows said core in a wet state to be visually perceived from outside said liquid-impervious sheet and indication elements temporarily concealed by said water-absorbent sheet;

said water-absorbent sheet comprising a porous thermoplastic film having an inner surface facing said core and an outer surface facing said liquid-impervious sheet;

said film having a total luminous transmittance of 40 % or lower in a dry state and 60 % or higher in a wet state; and

said indication elements being held in close contact with said inner surface;

The indicator according to Claim 1, wherein said thermoplastic film contains 0.5 to 5 wt% of modifier for hydrophilicity.



5. (currently amended) The indicator according to [[Claim]] claim 4, wherein said inorganic particles are coated with at least a part of said modifier for hydrophilicity.

6-10. (canceled)

11. (currently amended) In a body fluid absorbent article comprising:
a liquid-pervious sheet;
a liquid-impervious sheet;
a body fluid absorbent core interposed therebetween;
an indicator interposed between said liquid-impervious sheet and said core and
comprising a water-absorbent sheet which allows said core in a wet state to be visually perceived
from outside said liquid-impervious sheet and indication elements temporarily concealed by said
water-absorbent sheet;

said water-absorbent sheet comprising a porous thermoplastic film having an inner
surface facing said core and an outer surface facing said liquid-impervious sheet;

said film having a total luminous transmittance of 40 % or lower in a dry state and 60 %
or higher in a wet state; and

said indication elements being held in close contact with said inner surface;

~~The indicator according to claim 1,~~ wherein said thermoplastic film further contains a hydrophilic modifier for retaining bodily fluid in said apertures and thus increasing water-absorption capability of said thermoplastic film.

12-13. (canceled)

14. (currently amended) A body fluid absorbent article, comprising:
a liquid-pervious topsheet;
a liquid-impervious backsheet;

a body fluid absorbent core interposed between said liquid-pervious topsheet and said liquid-impervious backsheet; and

a water-absorbent, porous, thermoplastic film interposed between said liquid-impervious backsheet and said core;

said thermoplastic film being attached to said backsheet by adhesive;

said thermoplastic film having a total luminous transmittance of 40% or lower in a dry state, thereby concealing a portion of said core in the dry state;

said thermoplastic film having the total luminous transmittance of 60% or higher in a wet state, thereby allowing said portion of said core to be visible from outside said liquid-impervious backsheet in the wet state;

wherein said thermoplastic film has an inner surface facing and bonded to said core by adhesive, and an outer surface facing and bonded to said liquid-impervious backsheet by adhesive, said thermoplastic film further comprising:

inorganic particles present on at least one of the inner and outer surfaces of said thermoplastic film and making said at least one of the inner and outer surfaces a rough, light scattering surface; and

apertures extending through said thermoplastic film and adapted to be filled with bodily fluid for smoothening the rough, light scattering surface and thus increasing the total luminous transmittance of said thermoplastic film; and

~~The article according to claim 13,~~ wherein said thermoplastic film further contains a hydrophilic modifier for retaining bodily fluid in said apertures and thus increasing water-absorption capability of said thermoplastic film.

15-18. (canceled)

19. **(currently amended)** An indicator for use in a body fluid absorbent article comprising a liquid-pervious topsheet, a liquid-impervious backsheet, a body fluid absorbent core

interposed between the backsheet and topsheet, said indicator being adapted to be interposed between said backsheet and said core and comprising a water-absorbent, porous, thermoplastic film;

said thermoplastic film having a total luminous transmittance of 40% or lower in a dry state for concealing a portion of said core in the dry state;

said thermoplastic film having the total luminous transmittance of 60% or higher in a wet state for allowing said portion of said core to be visible from outside said liquid-impervious backsheet in the wet state;

said thermoplastic film having an inner surface adapted to face said core, and an outer surface adapted to face said liquid-impervious backsheet;

said thermoplastic film further comprising:

inorganic particles present on at least one of the inner and outer surfaces of said thermoplastic film and making said at least one of the inner and outer surfaces a rough, light scattering surface; and

apertures extending through said thermoplastic film and adapted to be filled with bodily fluid for smoothening the rough, light scattering surface and thus increasing the total luminous transmittance of said thermoplastic film;

~~The indicator according to claim 18,~~ wherein said thermoplastic film further contains a hydrophilic modifier for retaining bodily fluid in said apertures and thus increasing water-absorption capability of said thermoplastic film.

20. (previously presented) The indicator according to claim 19, consisting of said thermoplastic film.